Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11490	709/224	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 17:40
S1	702	"atm://" and URL	USPAT	OR	OFF	2004/10/31 14:21
S2	26	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2004/10/31 13:41
S3	26	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2004/10/31 13:41
S4	26	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2004/10/31 13:42
S5	26	(((("atm://" and URL) and (circuit adj switch)) and (ad<"20010509") and network) and ATM	USPAT	OR	OFF	2004/10/31 13:42
S6	15	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2004/10/31 13:42
S7	15	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2004/10/31 13:42
S8	15	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2004/10/31 13:42
S9	14	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3	USPAT	OR	OFF	2004/10/31 13:42
S10	7	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3) and locator	USPAT	OR	OFF	2004/10/31 13:43
S11	42488	"atm://"	USPAT	OR	OFF	2004/10/31 14:19
S12	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2004/10/31 14:20

C12		H-A//ATAN	11004=		055	2004/40/24 44 55
S13	0	"atm://ATM"	USPAT	OR	OFF	2004/10/31 14:20
S14	42488	"atm://"	USPAT	OR	OFF	2004/10/31 14:20
S15	42488	"atm@"	USPAT	. OR	OFF	2004/10/31 14:22
S16	0	atm adj "://"	USPAT	OR	OFF	2004/10/31 14:22
S17	42488	"atm:// "	USPAT	OR	OFF	2004/10/31 14:22
S18	0	atm adj url	USPAT	OR	OFF	2004/11/01 08:33
S19	428602	atm adj\$3 url	USPAT	OR	OFF	2004/11/01 08:34
S20	31	atm same url	USPAT	OR	OFF	2004/11/01 08:34
S21	7366446	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2004/11/01 08:35
S22	31	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2004/11/01 10:00
S23	1	"6601127".URPN.	USPAT	OR	OFF	2004/11/01 11:00
S24	. 0	"6757743".URPN.	USPAT	OR	OFF	2004/11/01 11:00
S25	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2004/11/01 11:00
S26	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2004/11/01 11:00
S27		("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2004/11/01 11:00
S28	6	"6442168".URPN.	USPAT	OR	OFF	2004/11/01 11:00
S29	6	"6442168".URPN.	USPAT	OR	OFF	2004/11/01 11:00
S30	0	"6751225".URPN.	USPAT	OR	OFF	2004/11/01 11:00
S31	. 0	"6751225".URPN.	USPAT	OR	OFF	2004/11/01 11:01
S32	0	"6751225".URPN.	USPAT	OR	OFF	2004/11/01 11:01
			<u> </u>	1	L	,,

		EAST Search				
S33	35	("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5963450" "5973748" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2004/11/01 11:01
S34	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2004/11/01 11:44
S35	3340	uniform adj resource adj locator	USPAT	OR	OFF	2004/11/16 08:37
S36	1580	S35 and identifier	USPAT	OR	OFF	2004/11/16 08:37
S37	8	S36 and "service parameter"	USPAT	OR	OFF	2004/11/16 08:38
S38	8	S37 and ad@<"20010509"	USPAT	OR	OFF	2004/11/16 13:48
S39	6	"6285671"	USPAT	OR	OFF	2004/11/16 13:49
S40	6	"6285671"	USPAT	OR	OFF	2005/06/15 16:14
S41	6126	circuit with switch with network	USPAT	OR	OFF	2005/06/15 16:14
S42	0	S41 with Digital with signal same URL	USPAT	OR	OFF	2005/06/15 16:15
S43	0	(S41 with Digital with signal) same URL	USPAT	OR .	OFF	2005/06/15 16:15
S44	3	S41 same URL	USPAT	OR	OFF	2005/06/16 17:33
S45	7	"6510153"	USPAT	OR	OFF	2005/06/16 17:33
S46	825	"atm://" and URL	USPAT	OR	OFF	2005/06/20 09:51
S47	. 29	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2005/06/20 09:51
S48	28	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2005/06/20 09:51
S49	28	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2005/06/20 09:51
S50	28	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR .	OFF	2005/06/20 09:51

				•		
S51	17	((((("atm://" and URL) and (circuit adj switch)) and (ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2005/06/20 09:51
S52	17	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR .	OFF	2005/06/20 09:51
S53	17	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2005/06/20 09:51
S54	15	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3	USPAT	OR .	OFF	2005/06/20 09:51
S55	7	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3) and locator	USPAT	OR	OFF	2005/06/20 09:51
S56	44713	"atm://"	USPAT	OR	OFF	2005/06/20 09:51
S57	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2005/06/20 09:51
S58	0	"atm://ATM"	USPAT	OR	OFF	2005/06/20 09:51
S59	44713	"atm://"	USPAT	OR	OFF	2005/06/20 09:51
S60	44713	"atm@"	USPAT	OR	OFF	2005/06/20 09:51
S61	0	atm adj "://"	USPAT	OR	OFF -	2005/06/20 09:51
S62	44713	"atm:// "	USPAT	OR	OFF	2005/06/20 09:51
S63	0	atm adj url	USPAT	OR	OFF	2005/06/20 09:51
S64	446518	atm adj\$3 url	USPAT	OR	OFF	2005/06/20 09:51
S65	40	atm same url	USPAT	OR	OFF	2005/06/20 09:51
S66	7472441	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2005/06/20 09:51
S67	40	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2005/06/20 09:51
S68	1	"6601127".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S69	0	"6757743".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S70	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2005/06/20 09:51

		· · · · · · · · · · · · · · · · · · ·		·		
S71	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2005/06/20 09:51
S72	35	("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2005/06/20 09:51
S73	7	"6442168".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S74	. 7	"6442168".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S75	1	"6751225".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S76	1	"6751225".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S77	1	"6751225".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S78	35	("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5963450" "5973748" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2005/06/20 09:51
S79	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2005/06/20 09:51
S80	3760	uniform adj resource adj locator	USPAT	OR	OFF	2005/06/20 09:51
S81	1791	S80 and identifier	USPAT	OR	OFF	2005/06/20 09:51
S82	9	S81 and "service parameter"	USPAT	OR	OFF	2005/06/20 09:51

S83	9	S82 and ad@<"20010509"	USPAT	OR	OFF	2005/06/20 09:51
S84	6	"6285671"	USPAT	OR	OFF	2005/06/20 09:51
S85	6	"6285671"	USPAT	OR	OFF	2005/06/20 09:51
S86	6126	circuit with switch with network	USPAT	OR	OFF	2005/06/20 09:51
S87	0	S86 with Digital with signal same URL	USPAT	OR	OFF	2005/06/20 09:51
S88	0	(S86 with Digital with signal) same URL	USPAT	OR	OFF	2005/06/20 09:51
S89	3	S86 same URL	USPAT	OR	OFF	2005/06/20 09:51
S90	7	"6510153"	USPAT	OR	OFF	2005/06/20 09:51
S91	0	URL and " <circuit switch="">://"</circuit>	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:03
S92	5772	URL and " <telephone number="">://"</telephone>	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:03
S93	662	S92 and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:05
S94	109	S93 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:05
S95	109	S94 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:07
S96	1530803	URL same circuit switch	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:07
S97	3	URL same "circuit switch"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:07
S98	831	"atm://" and URL	USPAT	OR	OFF	2005/07/11 14:48

		•				
S99	30	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2005/07/11 14:48
S10 0	29	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2005/07/11 14:48
S10 1	29	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2005/07/11 14:48
S10 2	29	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2005/07/11 14:48
S10 3	18	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2005/07/11 14:48
S10 4	18	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2005/07/11 14:48
S10 5	18	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2005/07/11 14:48
S10 6	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3	USPAT	OR	OFF	2005/07/11 14:48
S10 7	8	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3) and locator	USPAT	OR	OFF	2005/07/11 14:48
S10 8	44881	"atm://"	USPAT	OR	OFF	2005/07/11 14:48
S10 9	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2005/07/11 14:48
S11 0	0	"atm://ATM"	USPAT	OR	OFF	2005/07/11 14:48
S11 1	44881	"atm://"	USPAT	OR	OFF	2005/07/11 14:48
S11 2	44881	"atm@"	USPAT	OR	OFF	2005/07/11 14:48

, , , , , , , , , , , , , , , , , , , 	·····					
S11 3	0	atm adj "://"	USPAT	OR	OFF	2005/07/11 14:48
S11 4	44881	"atm:// "	USPAT	OR	OFF	2005/07/11 14:48
S11 5	0	atm adj url	USPAT	OR	OFF	2005/07/11 14:48
S11 6	448014	atm adj\$3 url	USPAT	OR	OFF	2005/07/11 14:48
S11 7	40	atm same url	USPAT	OR	OFF	2005/07/11 14:48
S11 8	7481173	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2005/07/11 14:48
S11 9	40	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2005/07/11 14:48
S12 0	1	"6601127".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S12 1	0	"6757743".URPN.	USPAT.	OR	OFF	2005/07/11 14:48
S12 2	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2005/07/11 14:48
S12 3	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2005/07/11 14:48
S12 4		("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5963450" "5973748" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2005/07/11 14:48
S12 5	7	"6442168".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S12 6	7	"6442168".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S12 7	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48

C12	 _	"67E122E" LIDDN	LICDAT	OD	OFF	2005/07/11 14:40
S12 8	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S12 9	. 1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S13 0	35	("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5963450" "5973748" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2005/07/11 14:48
S13 1	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2005/07/11 14:48
S13 2	3799	uniform adj resource adj locator	USPAT	OR	OFF	2005/07/11 14:48
S13 3	1813	S132 and identifier	USPAT	OR	OFF	2005/07/11 14:48
S13 4	. 9	S133 and "service parameter"	USPAT	OR	OFF	2005/07/11 14:48
S13 5	9	S134 and ad@<"20010509"	USPAT	OR	OFF	2005/07/11 14:48
S13 6	6	"6285671"	USPAT	OR	OFF	2005/07/11 14:48
S13 7	6	"6285671"	USPAT	OR	OFF	2005/07/11 14:48
S13 8	6152	circuit with switch with network	USPAT	OR	OFF	2005/07/11 14:48
S13 9	0	S138 with Digital with signal same URL	USPAT	OR	OFF	2005/07/11 14:48
S14 0	0	(S138 with Digital with signal) same URL	USPAT	OR	OFF	2005/07/11 14:48
S14 1	3	S138 same URL	USPAT	OR	OFF	2005/07/11 14:48
S14 2	7	"6510153"	USPAT	OR	OFF	2005/07/11 14:48

S14 831 "atm://" and URL USPAT OR OFF 2005/07/3 S14 30 ("atm://" and URL) and (circuit adj switch) USPAT OR OFF 2005/07/3 S14 29 (("atm://" and URL) and (circuit adj switch)) and @ad<"20010509" USPAT OR OFF 2005/07/3 S14 29 ((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network USPAT OR OFF 2005/07/3 S14 29 (((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network USPAT OR OFF 2005/07/3 7 29 ((("atm://" and URL) and (circuit adj circuit adj switch)) and @ad<"20010509") and network USPAT OR OFF 2005/07/3	11 14:48 11 14:48 11 14:48
4 switch) S14 29 (("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	11 14:48 11 14:48
5 adj switch)) and @ad<"20010509" S14 29 ((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network S14 29 (((("atm://" and URL) and (circuit adj switch)) and circuit adj switch)) and	11 14:48
6 adj switch)) and @ad<"20010509") and network S14 29 (((("atm://" and URL) and (circuit adj switch)) and	
7 adj switch)) and	11 14:48
@ad<"20010509") and network) and ATM	
S14 18 ((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	11 14:48
S14 18 (((((("atm://" and URL) and USPAT OR OFF 2005/07/3 Ogad<"20010509") and network) and ATM) and QoS) and bandwidth	11 14:48
S15	11 14:48
S15 16 ((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3	11 14:48
S15 0 "atm://ATM parameters@server USPAT OR OFF 2005/07/3	11 14:48
S15	11 14:48
S15 44881 "atm@" USPAT OR OFF 2005/07/3	11 14:48
S15 0 atm adj "://" USPAT OR OFF 2005/07/3	11 14:48
S15 44881 "atm://" USPAT OR OFF 2005/07/3	11 14:48
S15	11 14:48
S15 448014 atm adj\$3 url USPAT OR OFF 2005/07/3	11 14:48

3/29/07 5:45:14 PM

				· <u> </u>		
S15 9	40	atm same url	USPAT	OR	OFF	2005/07/11 14:48
S16 0	7481173	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2005/07/11 14:48
S16	0	"6757743".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S16 2	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S16 3	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S16 4	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S16 5	3799	uniform adj resource adj locator	USPAT	OR	OFF	2005/07/11 14:48
S16 6	1813	S165 and identifier	USPAT	OR	OFF	2005/07/11 14:48
S16 7	. 9	S166 and "service parameter"	USPAT	OR	OFF	2005/07/11 14:48
S16 8	6152	circuit with switch with network	USPAT	OR	OFF	2005/07/11 14:48
S16 9	0	S168 with Digital with signal same URL	USPAT	OR	OFF	2005/07/11 14:48
S17 0	0	(S168 with Digital with signal) same URL	USPAT	OR	OFF	2005/07/11 14:48
S17	1	"6601127".URPN.	USPAT	OR	OFF	2005/07/11 14:48
S17 2	1	("6285671").PN.	USPAT; USOCR	OR	OFF ·	2005/07/11 14:48
S17 3	8	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3) and locator	USPAT	OR	OFF	2005/07/11 14:48
S17 4	40	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2005/07/11 14:48
S17 5	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2005/07/11 14:48
S17 6	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2005/07/11 14:48

7							
8 S17 9 7 "6442168",URPN. USPAT OR OFF 2005/07/11 14:4 S18 0 S18 35 ("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5455569" "5475835" "5481750" "5513711" "5537605" "5533390" "5657221" "5687334" "5712834" "5787259" "5790876" "5793366" "5815631" "5847771" "58850573" "5875108" "5887193" "5960445" "5987126" "6115392" "6442168"),PN. S18 9 S167 and ad@<"20010509" USPAT OR OFF 2005/07/11 14:4 S18 6 "6285671" USPAT OR OFF 2005/07/11 14:4 USPAT OR OFF 2005/07/11 14:4	7	35	"4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5963450" "5973748" "5987126" "6115392"	USPAT	OR	OFF	2005/07/11 14:48
9 S18 0 S18		7	"6442168".URPN.	USPAT	OR	OFF	2005/07/11 14:48
0 "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "55475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5877108" "5887193" "5875108" "5887193" "5960445" "5987126" "6115392" "6442168").PN. S18 9 S167 and ad@<"20010509" USPAT OR OFF 2005/07/11 14:4 S18 2		7	"6442168".URPN.	USPAT	OR	OFF	2005/07/11 14:48
1 S18 C	0		"4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5850573" "5875108" "5887193" "5960445" "5963450" "5973748" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2005/07/11 14:48
2 S18 6 "6285671" USPAT OR OFF 2005/07/11 14:4 S18 3 S168 same URL USPAT OR OFF 2005/07/11 14:4		9	S167 and ad@<"20010509"	USPAT	OR	OFF	2005/07/11 14:48
3 S18 3 S168 same URL USPAT OR OFF 2005/07/11 14:4	1	6	"6285671"	USPAT	OR	OFF	2005/07/11 14:48
4		6	"6285671"	USPAT	OR	OFF	2005/07/11 14:48
C10	i i	3	S168 same URL	USPAT	OR	OFF	2005/07/11 14:48
518 / "6510153" USPAT OR OFF 2005/07/11 14:4	S18 5	7	"6510153"	USPAT	OR	OFF	2005/07/11 14:48

S18 6	44881	"atm://"	USPAT	OR	OFF	2005/07/11 14:48
S18 7	44881	"atm://"	USPAT	OR	OFF	2005/07/11 14:48
S18 8	0	URL and " <circuit switch="">://"</circuit>	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S18 9	5850	URL and " <telephone number>://"</telephone 	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S19 0	662	S189 and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S19 1	109	S190 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON .	2005/07/11 14:48
S19 2	109	S191 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S19 3	1535621	URL same circuit switch	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S19 4	3	URL same "circuit switch"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S19 5	1	"20010046237"	US-PGPUB; USPAT	OR	ON	2006/02/14 11:32
S19 6	969	"atm://" and URL	USPAT	OR	OFF	2006/02/17 09:17
S19 7	32	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/02/17 09:17
S19 8	·31	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/02/17 09:17

S19	31	((("atm://" and URL) and (circuit adj switch)) and	USPAT	OR	OFF	2006/02/17 09:17
	_	@ad<"20010509") and network				
S20 0	31	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/02/17 09:17
S20 1	18	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/02/17 09:17
S20 2	18	(((((("atm://" and URL) and (circuit adj switch)) and (ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/02/17 09:17
S20 3	18	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/02/17 09:17
S20 4	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3	USPAT	OR	OFF	2006/02/17 09:17
S20 5	8	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3) and locator	USPAT	OR	OFF	2006/02/17 09:17
S20 6	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S20 7	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/02/17 09:17
S20 8	0.	"atm://ATM"	USPAT	OR	OFF	2006/02/17 09:17
S20 9	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S21 0	47038	"atm@"	USPAT	OR	OFF	2006/02/17 09:17
S21 1	0	atm adj "://"	USPAT	OR	OFF	2006/02/17 09:17
S21 2	47038	"atm:// "	USPAT	OR	OFF	2006/02/17 09:17

S21	0	atm adj url	USPAT	OR	OFF	2006/02/17 09:17
3		,				
S21 4	464477	atm adj\$3 url	USPAT	OR	OFF	2006/02/17 09:17
S21 5	55	atm same url	USPAT	OR	OFF	2006/02/17 09:17
S21 6	7574485	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S21 7	55	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S21 8	2	·"6601127".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S21 9	1	"6757743".URPN.	USPAT	OR ·	OFF	2006/02/17 09:17
S22 0	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17
S22 1	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17
S22 2	35	("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5963450" "5973748" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S22 3	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S22 4	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S22 5	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S22 6	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S22 7	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17

		7			,	
S22 8	35	("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5963450" "5973748" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S22 9	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2006/02/17 09:17
S23 0	4393	uniform adj resource adj locator	USPAT	OR	OFF	2006/02/17 09:17
S23 1	2111	S230 and identifier	USPAT	OR	OFF	2006/02/17 09:17
S23 2	10	S231 and "service parameter"	USPAT	OR	OFF	2006/02/17 09:17
S23 3	10	S232 and ad@<"20010509"	USPAT	OR	OFF	2006/02/17 09:17
S23 4	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S23 5	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S23 6	6342	circuit with switch with network	USPAT	OR	OFF	2006/02/17 09:17
S23 7	0	S236 with Digital with signal same URL	USPAT	OR	OFF	2006/02/17 09:17
S23 8	0	(S236 with Digital with signal) same URL	USPAT	OR	OFF	2006/02/17 09:17
S23 9	3	S236 same URL	USPAT	OR	OFF	2006/02/17 09:17
S24 0	15	"6510153"	USPAT	OR	OFF	2006/02/17 09:17
S24 1	969	"atm://" and URL	USPAT	OR	OFF	2006/02/17 09:17
S24 2	32	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/02/17 09:17

S24 3	31	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/02/17 09:17
S24 4	31	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/02/17 09:17
S24 5	31	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/02/17 09:17
S24 6	18	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/02/17 09:17
S24 7	18	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/02/17 09:17
S24 8	18	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/02/17 09:17
S24 9	16	(((((((("atm://" and URL) and . (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3	USPAT	OR .	OFF	2006/02/17 09:17
S25 0	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/02/17 09:17
S25 1	0	"atm://ATM"	USPAT	OR	OFF	2006/02/17 09:17
S25 2	47038	"atm@"	USPAT	OR	OFF	2006/02/17 09:17
S25 3	0	atm adj "://"	USPAT	OR	OFF	2006/02/17 09:17
S25 4	47038	"atm:// "	USPAT	OR	OFF	2006/02/17 09:17
S25 5	0	atm adj url	USPAT	OR	OFF	2006/02/17 09:17
S25 6	464477	atm adj\$3 url	USPAT	OR	OFF	2006/02/17 09:17
S25 7	55	atm same url	USPAT	OR	OFF	2006/02/17 09:17
S25 8	7574485	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17

S25 9	1	"6757743".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S26 0	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S26 1	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S26 2	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S26 3	4393	uniform adj resource adj locator	USPAT	OR	OFF	2006/02/17 09:17
S26 4	2111	S263 and identifier	USPAT	OR	OFF	2006/02/17 09:17
S26 5	10	S264 and "service parameter"	USPAT	OR	OFF	2006/02/17 09:17
S26 6	6342	circuit with switch with network	USPAT	OR	OFF	2006/02/17 09:17
S26 7	0	S266 with Digital with signal same URL	USPAT	OR	OFF	2006/02/17 09:17
S26 8	0	(S266 with Digital with signal) same URL	USPAT	OR	OFF	2006/02/17 09:17
S26 9	2	"6601127".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S27 0	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2006/02/17 09:17
S27 1	8	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3) and locator	USPAT	OR	OFF	2006/02/17 09:17
S27 2	. 55	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S27 3	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17
S27 4	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17

				,		
S27 5	35	("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5815631" "5847771" "5887193" "5960445" "5963450" "5973748" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S27 6	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S27 7	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S27 8	35	("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5963450" "5973748" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S27 9	10	S265 and ad@<"20010509"	USPAT	OR	OFF	2006/02/17 09:17
S28 0	9	"6285671"	USPAT	OŖ	OFF	2006/02/17 09:17
S28 1	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S28 2	3	S266 same URL	USPAT	OR [*]	OFF	2006/02/17 09:17
S28 3	15	"6510153"	USPAT	OR	OFF	2006/02/17 09:17

S28 4	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S28 5	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S28 6	0	URL and " <circuit switch="">://"</circuit>	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S28 7	6898	URL and " <telephone number="">://"</telephone>	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S28 8	671	S287 and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S28 9	111	S288 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S29 0	111	S289 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S29 1	1599606	URL same circuit switch	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S29 2	3	URL same "circuit switch"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S29 3	969	"atm://" and URL	USPAT	OR	OFF	2006/02/17 09:17
S29 4	32	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/02/17 09:17
S29 5	31	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/02/17 09:17
S29 6	31	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/02/17 09:17

S29 7	31	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/02/17 09:17
S29 8	18	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/02/17 09:17
S29 9	18	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF.	2006/02/17 09:17
S30 0	18	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/02/17 09:17
S30 1	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3	USPAT	OR	OFF	2006/02/17 09:17
S30 2	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/02/17 09:17
S30 3	0	"atm://ATM"	USPAT	OR	OFF	2006/02/17 09:17
S30 4	47038	"atm@"	USPAT	OR	OFF	2006/02/17 09:17
S30 5	0	atm adj "://"	USPAT	OR	OFF	2006/02/17 09:17
S30 6	47038	"atm:// "	USPAT	OR	OFF	2006/02/17 09:17
S30 7	0	atm adj url	USPAT	OR	OFF	2006/02/17 09:17
S30 8	464477	atm adj\$3 url	USPAT	OR	OFF	2006/02/17 09:17
S30 9	55	atm same url	USPAT	OR	OFF	2006/02/17 09:17
S31 0	7574485	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S31 1	1	"6757743".URPN.	USPAT	OR .	OFF	2006/02/17 09:17
S31 2	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17

S31	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
3					_	
S31 4	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S31 5	4393	uniform adj resource adj locator	USPAT	OR	OFF	2006/02/17 09:17
S31 6	2111	S315 and identifier	USPAT	OR	OFF	2006/02/17 09:17
S31 7	10	S316 and "service parameter"	USPAT	OR	OFF	2006/02/17 09:17
S31 8	6342	circuit with switch with network	USPAT	OR	OFF.	2006/02/17 09:17
S31 9	0	S318 with Digital with signal same URL	USPAT	OR	OFF	2006/02/17 09:17
S32 0	0	(S318 with Digital with signal) same URL	USPAT	OR	OFF	2006/02/17 09:17
S32	969	"atm://" and URL	USPAT	OR	OFF	2006/02/17 09:17
S32 2	32	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/02/17 09:17
S32 3	31	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/02/17 09:17
S32 4	31	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/02/17 09:17
S32 5	31	(((("atm://" and URL) and (circuit adj switch)) and (ad<"20010509") and network) and ATM	USPAT	OR ,	OFF	2006/02/17 09:17
S32 6	18	((((("atm://" and URL) and (circuit adj switch)) and (@ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/02/17 09:17
S32 7	18	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/02/17 09:17
S32 8	18	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/02/17 09:17

S32 9	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3	USPAT	OR	OFF	2006/02/17 09:17
S33 0	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/02/17 09:17
S33 1	. 0	"atm://ATM"	USPAT	OR	OFF	2006/02/17 09:17
S33 2	47038	"atm@"	USPAT	OR	OFF	2006/02/17 09:17
S33 3	0	atm adj "://"	USPAT	OR	OFF	2006/02/17 09:17
S33 4	47038	"atm:// "	USPAT	OR	OFF	2006/02/17 09:17
S33 5	0	atm adj url	USPAT	OR	OFF	2006/02/17 09:17
S33 6	464477	atm adj\$3 url	USPAT	OR	OFF	2006/02/17 09:17
S33 7	55	atm same url	USPAT	OR	OFF	2006/02/17 09:17
S33 8	7574485	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S33 9	1	"6757743".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S34 0	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S34 1	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
\$34 2	2	"6751225".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S34 3	4393	uniform adj resource adj locator	USPAT	OR	OFF	2006/02/17 09:17
S34 4	2111	S343 and identifier	USPAT	OR	OFF	2006/02/17 09:17
S34 5	10	S344 and "service parameter"	USPAT	OR	OFF	2006/02/17 09:17
S34 6	6342	circuit with switch with network	USPAT	OR	OFF	2006/02/17 09:17
S34 7	0	S346 with Digital with signal same URL	USPAT	OR	OFF	2006/02/17 09:17
S34 8	0	(S346 with Digital with signal) same URL	USPAT	OR	OFF	2006/02/17 09:17

S34 9	0	URL and " <circuit switch="">://"</circuit>	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S35 0	6898	URL and " <telephone number="">://"</telephone>	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S35 1	671	S350 and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S35 2	111	S351 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S35 3	1599606	URL same circuit switch	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S35 4	2	"6601127".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S35 5	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2006/02/17 09:17
S35 6	2	"6601127".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S35 7	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2006/02/17 09:17
S35 8	8	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3) and locator	USPAT	OR	OFF	2006/02/17 09:17
S35 9	55	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S36 0	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17
S36 1	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17

	,		· · · · · · · · · · · · · · · · · · ·			
S36 2	35	("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5963450" "5973748" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S36 3	. 7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S36 4	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
\$36 5	35	("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5963450" "5973748" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S36 6	10	S317 and ad@<"20010509"	USPAT ·	OR	OFF	2006/02/17 09:17
S36 7	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S36 8	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S36 9	3	S318 same URL	USPAT	OR	OFF	2006/02/17 09:17
S37 0	15	"6510153"	USPAT	OR	OFF	2006/02/17 09:17

C27		(((((((((((((((((((((((((((((((((((((((11004=		055	2006/02/47 00 47
S37 1	8	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3) and locator	USPAT	OR	OFF	2006/02/17 09:17
S37 2	55	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2006/02/17 09:17
S37 3	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17
S37 4	4	("5638377" "6389496" "6519671" "6601127").PN.	USPAT	OR	OFF	2006/02/17 09:17
S37 5		("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5455569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5963450" "5973748" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S37 6	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17
S37 7	7	"6442168".URPN.	USPAT	OR	OFF	2006/02/17 09:17

S37 8	35	("4652874" "4723120" "4903016" "5007051" "5050165" "5247620" "5280480" "5400246" "5418527" "5420724" "5457569" "5475835" "5481750" "5515211" "5537605" "5539390" "5657221" "5687334" "5712834" "5729717" "5778064" "5787259" "5790876" "5793366" "5815631" "5847771" "5887193" "5960445" "5987126" "6115392" "6442168").PN.	USPAT	OR	OFF	2006/02/17 09:17
S37 9	10	S345 and ad@<"20010509"	USPAT	OR	OFF	2006/02/17 09:17
S38 0	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S38 1	9	"6285671"	USPAT	OR	OFF	2006/02/17 09:17
S38 2	3	S346 same URL	USPAT	OR	OFF	2006/02/17 09:17
S38 3	15	"6510153"	USPAT	OR	OFF	2006/02/17 09:17
S38 4	3	URL same "circuit switch"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S38 5	111	S352 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/17 09:17
S38 6	671	S350 and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:05
S38 7	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S38 8	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S38 9	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17

S39 0	47038	"atm://"	USPAT	OR	OFF	2006/02/17 09:17
S39	1	"20010046237"	US-PGPUB; USPAT	OR	ON	2006/02/17 09:17
S39 2	90723	URL near5 compris\$3 circuit near5 network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:07
S39 3	584420	@rlad<"19981209" and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR -	ON	2006/09/04 17:06
S39 4	6196	S392 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:06
S39 5	90723	"url" near5 compris\$3 circuit near5 network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:07
S39 6	0	"url" near5 compris\$3 near5 circuit near5 network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:07
S39 7	9	"url" near5 circuit near5 network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:08
S39 8	0	S397 and S393	US-PGPUB;" USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:08
S39 9	9	url near5 circuit near5 network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:10
S40 0	0	S399 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:10

S40 1	31	url near15 circuit near15 network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:18
S40 2	0	S401 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:10
S40 3	157	url same (circuit near15 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:16
\$40 4	1	S403 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:15
S40 5	1026	url same (circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:16
S40 6	19	S405 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:16
540 7	105	(url near15 circuit) same network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:34
S40 8	8	S407 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:18
S40 9	13	(url near15 circuit near switch\$3) same network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:36
S41 0	0 E-45-14 DM	S409 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:34

S41 1	22109	(circuit near switch\$3) same network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:43
S41 2	1132	S411 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:38
S41 3	3	S412 and VoIP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:38
S41 4	0	S413 and URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:36
S41 5	0	S413 and (locator)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:38
S41 6	17	S412 and URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:39
S41 7	0	S416 and VoIP	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:38
S41 8	80	S411 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:43
S41 9	4	S418 and S393	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/04 17:43
S42 0	22146 5:45:14 PM	(circuit near switch\$3) same network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 12:29

S42 1	80	S420 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 12:29
S42 2	9891	709/224	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 12:29
S42 3	1136	"atm://" and URL	USPAT	OR	OFF	2006/09/05 13:04
S42 4	. 36	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/09/05 13:04
S42 5	32	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/09/05 13:04
S42 6	32	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/09/05 13:04
S42 7	19	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/09/05 13:04
S42 8	19	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/09/05 13:04
S42 9	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3	USPAT	OR	OFF	2006/09/05 13:04
S43 2	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/09/05 13:04
S43 3	0	"atm://ATM"	USPAT	OR	OFF	2006/09/05 13:04
S43 5	49834	"atm@"	USPAT	OR	OFF	2006/09/05 13:04
S43 6	0	atm adj "://"	USPAT	OR.	OFF	2006/09/05 13:04
S43 7	49834	"atm:// "	USPAT	OR	OFF	2006/09/05 13:04
S43 8	0	atm adj url	USPAT	OR	OFF	2006/09/05 13:04

			,	·		
S43 9	485588	atm adj\$3 url	USPAT	OR	OFF	2006/09/05 13:04
S44 0	68	atm same url	USPAT	OR	OFF	2006/09/05 13:04
S44 1	7691542	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/09/05 13:04
S44 4	1	"6757743".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S45 0	4	"6751225".URPN.	USPAT	OR ·	OFF	2006/09/05 13:05
S45 1	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S45 2	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S45 5	5067	uniform adj resource adj locator	USPAT	OR	OFF	2006/09/05 13:05
S45 6	2442	S455 and identifier	USPAT	OR	OFF	2006/09/05 13:05
S45 7	11	S456 and "service parameter"	USPAT	OR	OFF	2006/09/05 13:05
S46 1	6592	circuit with switch with network	USPAT	OR	OFF	2006/09/05 13:05
S46 2	0	S461 with Digital with signal same URL	USPAT	OR	OFF	2006/09/05 13:05
S46 ['] 5	1136	"atm://" and URL	USPAT	OR	OFF	2006/09/05 13:05
S46 6	32	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/09/05 13:05
S46 7	32	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/09/05 13:05
S46 8	. 32	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/09/05 13:05
S46 9	19	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/09/05 13:05
S47 0	19	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/09/05 13:05

S47 1	19	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/09/05 13:05
S47 2	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/09/05 13:05
S47 3	0	"atm://ATM"	USPAT	OR	OFF	2006/09/05 13:05
S47 4	49834	"atm@"	USPAT	OR	OFF	2006/09/05 13:05
S47 5	0	atm adj "://"	USPAT	OR -	OFF	2006/09/05 13:05
S47 6	49834	"atm:// "	USPAT	OR	OFF	2006/09/05 13:05
S47 7	0	atm adj url	USPAT	OR	OFF	2006/09/05 13:05
S47 8	485588	atm adj\$3 url	USPAT	OR	OFF	2006/09/05 13:05
S47 9	68	atm same url	USPAT	OR	OFF	2006/09/05 13:05
S48 0	7691542	(atm same url) ad@<"19991117"	USPAT	OR .	OFF	2006/09/05 13:05
S48 1	1	"6757743".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S48 2	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S48 3	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S48 4	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S48 5	5067	uniform adj resource adj locator	USPAT	OR	OFF	2006/09/05 13:05
S48 6	2442	S485 and identifier	USPAT	OR	OFF	2006/09/05 13:05
S48 7	11	S486 and "service parameter"	USPAT	OR	OFF	2006/09/05 13:05
S48 8	6592	circuit with switch with network	USPAT	OR	OFF	2006/09/05 13:05
S48 9	0	S488 with Digital with signal same URL	USPAT	OR	OFF	2006/09/05 13:05
S49 0	0	(S488 with Digital with signal) same URL	USPAT	OR	OFF	2006/09/05 13:05

		10	T	I		
S50 8	0	URL and " <circuit switch="">://"</circuit>	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 13:05
S50 9	7802	URL and " <telephone number="">://"</telephone>	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 13:05
S51 1	113	S510 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 13:05
S51 3	1136	"atm://" and URL	USPAT	OR	OFF	2006/09/05 13:05
S51 4	36	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/09/05 13:05
S51 5	32	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/09/05 13:05
S51 6	32	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/09/05 13:05
S51 7	32	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/09/05 13:05
S51 8	19	((((("atm://" and URL) and (circuit adj switch)) and (@ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/09/05 13:05
S51 9	19	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/09/05 13:05
S52 0	19	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/09/05 13:05
S52 1	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3	USPAT	OR	OFF	2006/09/05 13:05

			•	-		
S52 2	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/09/05 13:05
S52 3	0	"atm://ATM"	USPAT	OR	OFF	2006/09/05 13:05
S52 4	49834	"atm@"	USPAT	OR	OFF	2006/09/05 13:05
S52 5	0	atm adj "://"	USPAT	OR	OFF	2006/09/05 13:05
S52 6	49834	"atm:// "	USPAT	OR	OFF	2006/09/05 13:05
S52 7	0	atm adj url	USPAT	OR	OFF	2006/09/05 13:05
S52 8	485588	atm adj\$3 url	USPAT	OR	OFF	2006/09/05 13:05
S52 9	68	atm same url	USPAT	OR	OFF	2006/09/05 13:05
S53 0	7691542	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/09/05 13:05
S53 1	1	"6757743".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S53 2	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S53 3	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S53 4	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S53 5	5067	uniform adj resource adj locator	USPAT	OR	OFF	2006/09/05 13:05
S53 6	2442	S535 and identifier	USPAT	OR	OFF	2006/09/05 13:05
S53 7	11	S536 and "service parameter"	USPAT	OR	OFF	2006/09/05 13:05
S53 8	6592	circuit with switch with network	USPAT	OR	OFF	2006/09/05 13:05
S53 9	0	S538 with Digital with signal same URL	USPAT	OR	OFF	2006/09/05 13:05
S54 0	0	(S538 with Digital with signal) same URL	USPAT	OR	OFF	2006/09/05 13:05
S54 1	1136	"atm://" and URL	USPAT	OR	OFF	2006/09/05 13:05
S54 2	36	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/09/05 13:05
S54 3	32	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/09/05 13:05
2 S54		switch) (("atm://" and URL) and (circuit		,		

S54 4	32	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/09/05 13:05
S54 5	32	(((("atm://" and URL) and (circuit adj switch)) and (ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/09/05 13:05
S54 6	19	((((("atm://" and URL) and (circuit adj switch)) and (ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/09/05 13:05
S54 7	19	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/09/05 13:05
S54 · 8	19	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/09/05 13:05
S54 9	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3	USPAT	OR	OFF	2006/09/05 13:05
S55 0	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/09/05 13:05
S55 1	0	"atm://ATM"	USPAT	OR	OFF	2006/09/05 13:05
S55 2	49834	"atm@"	USPAT	OR	OFF	2006/09/05 13:05
S55 3	0	atm adj "://"	USPAT	OR	OFF	2006/09/05 13:05
S55 4	49834	"atm:// "	USPAT	OR	OFF	2006/09/05 13:05
S55 5	0	atm adj url	USPAT	OR	OFF	2006/09/05 13:05
S55 6	485588	atm adj\$3 url	USPAT .	OR	OFF	2006/09/05 13:05
S55 7	68	atm same url	USPAT	OR	OFF	2006/09/05 13:05
S55 8	7691542	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/09/05 13:05
S55 9	1	"6757743".URPN.	USPAT	OR	OFF	2006/09/05 13:05

S56 0	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S56 1	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S56 2	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S56 3	5067	uniform adj resource adj locator	USPAT	OR	OFF	2006/09/05 13:05
S56 4	2442	S563 and identifier	USPAT	OR	OFF	2006/09/05 13:05
S56 5	11	S564 and "service parameter"	USPAT	OR	OFF	2006/09/05 13:05
S56 6	6592	circuit with switch with network	USPAT	OR	OFF	2006/09/05 13:05
S56 7	0	(S566 with Digital with signal) same URL	USPAT	OR	OFF	2006/09/05 13:05
S56 8	0	URL and " <circuit switch="">://"</circuit>	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 13:05
S56 9	7802	URL and " <telephone number="">://"</telephone>	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 13:05
S57 1	113	S570 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/05 13:05
S60 9	1136	"atm://" and URL	USPAT	OR	OFF	2006/09/05 13:05
S61 0	36	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/09/05 13:05
S61 1	32	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/09/05 13:05
S61 2	. 32	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/09/05 13:05
S61 3	32	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/09/05 13:05

S61 4	19	((((("atm://" and URL) and (circuit adj switch)) and (ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/09/05 13:05
S61 5	19	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/09/05 13:05
S61 6	19	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/09/05 13:05
S61 7	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3	USPAT	OR	OFF	2006/09/05 13:05
S61 8	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/09/05 13:05
S61 9	0	"atm://ATM"	USPAT	OR	OFF	2006/09/05 13:05
S62 0	49834	"atm@"	USPAT	OR	OFF	2006/09/05 13:05
S62	0	atm adj "://"	USPAT	OR	OFF	2006/09/05 13:05
S62 2	49834	"atm:// "	USPAT	OR	OFF	2006/09/05 13:05
S62 3	0	atm adj url	USPAT	OR	OFF	2006/09/05 13:05
S62 4	485588	atm adj\$3 url	USPAT	OR	OFF	2006/09/05 13:05
S62 5	68	atm same url	USPAT	OR	OFF	2006/09/05 13:05
S62 6	7691542	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2006/09/05 13:05
S62 7	1	"6757743".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S62 8	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S62 9	4	"6751225".URPN.	USPAT	OR	OFF	2006/09/05 13:05
S63 0	4	"6751225".URPN.	USPAT	OR ·	OFF	2006/09/05 13:05

067	uniform adj resource adj locator	USPAT	OR	OFF	2006/09/05 13:05
442	S631 and identifier	USPAT	OR	OFF	2006/09/05 13:05
11	S632 and "service parameter"	USPAT	OR	OFF	2006/09/05 13:05
592	circuit with switch with network	USPAT	OR	OFF	2006/09/05 13:05
0	S634 with Digital with signal same URL	USPAT	OR	OFF	2006/09/05 13:05
0	(S634 with Digital with signal) same URL	USPAT	OR	OFF	2006/09/05 13:05
136	"atm://" and URL	USPAT	OR	OFF	2006/09/05 13:05
36	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2006/09/05 13:05
32	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2006/09/05 13:05
32	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2006/09/05 13:05
32	(((("atm://" and URL) and (circuit adj switch)) and (ad<"20010509") and network) and ATM	USPAT	OR	OFF	2006/09/05 13:05
19	((((("atm://" and URL) and (circuit adj switch)) and (ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2006/09/05 13:05
19	((((((("atm://" and URL) and (circuit adj switch)) and (ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2006/09/05 13:05
19	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2006/09/05 13:05
16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3	USPAT	OR	OFF	2006/09/05 13:05
0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2006/09/05 13:05
	1442 11 592 0 0 136 32 32 32 19 19	S631 and identifier S632 and "service parameter" Circuit with switch with network S634 with Digital with signal same URL (S634 with Digital with signal) same URL "atm://" and URL) and (circuit adj switch) (("atm://" and URL) and (circuit adj switch)) and @ad<"20010509" ((("atm://" and URL) and (circuit adj switch)) and (circuit adj switch)) and (@ad<"20010509") and network (((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM (((("atm://" and URL) and (circuit adj switch)) and (@ad<"20010509") and network) and ATM ((((("atm://" and URL) and (circuit adj switch)) and (circuit adj switch)	11 S632 and "service parameter" USPAT 12 S632 and "service parameter" USPAT 13 S634 with Digital with signal same USPAT 14 USPAT 15 S634 with Digital with signal same USPAT 15 S634 with Digital with signal same USPAT 16 S634 with Digital with signal USPAT 17 Same URL 18 "atm://" and URL 18 "atm://" and URL) and (circuit adj switch) 18 ("atm://" and URL) and (circuit adj switch)) and @ad<"20010509" 19 ((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network 19 (((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM 19 ((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM and QoS 19 (((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth 19 ((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address 16 ((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address 16 (((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address 16 ((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character\$3 18 ("atm://ATM parameters@server USPAT	11 S632 and "service parameter" USPAT OR 11 S632 and "service parameter" USPAT OR 1592 circuit with switch with network USPAT OR 1593 circuit with signal same USPAT OR 1594 circuit with Digital with signal with Same URL 16 (S634 with Digital with signal) USPAT OR 17 circuit and URL WISPAT OR 18 ("atm://" and URL) and (circuit adj switch)) and @ad<"20010509" USPAT OR 18 (("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network Or with adj switch)) and @ad<"20010509") and network Or with and ATM Or with and ATM Or with and ATM Or or with and Wispan Or with and ATM Or or with and ATM Or or with and Wispan Or with and Or with and ATM Or or with and Wispan Or with and O	11 S632 and "service parameter" USPAT OR OFF 11 S632 and "service parameter" USPAT OR OFF 1592 circuit with switch with network USPAT OR OFF 1592 circuit with Digital with signal same USPAT OR OFF 16 S634 with Digital with signal same USPAT OR OFF 17 (S634 with Digital with signal) USPAT OR OFF 18 "atm://" and URL USPAT OR OFF 18 ("atm://" and URL) and (circuit adj switch) and Gad<"20010509" 19 (("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network 20 (("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network 21 (((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM 22 ((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM 23 (((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM and QoS 24 (((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth 25 ((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address 26 (((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address 27 (((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address 28 (((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address and characters3 29 ("atm://ATM parameters@server USPAT OR OFF

3/29/07 5:45:14 PM

CCA		H-A (1A-TAGH	1			
S64 7	0	"atm://ATM"	USPAT	OR	OFF	2006/09/05 13:05
S64 8	49834	"atm@"	USPAT	OR	OFF	2006/09/05 13:05
S64 9	0	atm adj "://"	USPAT	OR	OFF	2006/09/05 13:05
S65 0	49834	"atm:// "	USPAT	OR	OFF ·	2006/09/05 13:05
S65	0	atm adj url	USPAT	OR	OFF	2006/09/05 13:05
S65 2	485588	atm adj\$3 url	USPAT	OR	OFF	2006/09/05 13:05
S65 3	68	atm same url	USPAT	OR	OFF	2006/09/05 13:05
S65 4	2	"20020141370"	US-PGPUB; USPAT	OR	ON	2006/09/05 17:48
S65 5	6	2002/0103898	USPAT	OR	OFF	2007/03/29 14:51
S65 6	0	"20020103898"	USPAT	OR	OFF	2007/03/29 14:51
S65 7	1	"20020103898"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 14:53
S65 8	201	delegat\$2 near2 domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 14:53
\$65 9	828548	@rlad<"19991117" and ad@<"19991117"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 14:54
S66 0	60	atm near2 URL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR -	ON	2007/03/29 14:57

S66 1	48	S660 and S659	US-PGPUB; USPAT;	OR	ON	2007/03/29 14:54
		•	USOCR; FPRS; EPO; JPO; IBM_TDB			
S66 2	48	S661 and "url" and "atm"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 14:55
S66 3	48	S661 and "url" and ("atm" ATM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 14:55
S66 4	669	telephone near2 URL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 14:57
S66 5	0	S655 and S659	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 14:58
S66 6	38	S664 and S659	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 14:58
S66 7	2810	URL with telephone	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 14:59
S66 8	584620	@rlad<"19981298" and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 15:01

S66	24	S668 and S667	US-PGPUB;	OR	ON	2007/03/29 15:11
9			USPAT; USOCR; EPO; JPO; IBM_TDB	J.		2007/03/25 13.11
S67 0	0	(cicuit near2 switch) with URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 15:05
S67 1	0	(cicuit near2 switch) same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 15:05
S67 2	20	(circuit near2 switch) same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 15:06
S67 3	0	S672 and S668	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 15:06
S67 4	4	(circuit near2 switch) with URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 15:06
S67 5	. 0	(delegat\$2 near2 domain) with URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 15:07
S67 6	1	(delegat\$2_near2 domain) same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 15:12
S67 7	0	S676 and S668	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 15:07
S67 8	14 5:45:14 PM	(delegat\$2 near2 domain) same number	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 15:08

3/29/07 5:45:14 PM

S67 9	0	S678 and S668	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 15:08
S68 0	1	(delegat\$2 near2 domain) and S668	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/29 17:40